



PINYEE LED

Dongguan PinYee Metal & Plastic Products Co.,Ltd

Tel: +86-769-86980678 email: info@cnpinyee.com Add: Build A, No. 381 of Guanzhang RD, Zhangmutou, Dongguan, Guangdong China

-----Metal LED Cabinet Light Type 1



Information

- Input Voltage: 120V AC, 60Hz
- Color Temperatures: 2700K, 3000K, 4000K
- CRI: 90+
- Max. Run: 400W
- 120 degree Beam Angle
- Power Input: Hardwire, Modular or plug in
- Dimmable w/ ELV Dimmer
- 35,000 Hour Rated Life
- Linkable via inline connector or jumpers

Dimming Options

- TRIAC (10-100%)
- CL (10-100%)
- ELV (10-100%)

Suitable Application

This versatile dimmable lighting system could be use for task areas, display shelving, back bars, built-in etc. because of its strong light output & high CRI. It's pretty easy for you to build your own system with suitable size cabinet lights connect each other by ETL listed system (With the ETL listed Slim line hardwire Box and 12" / 24" linking cable, each sold separately)





PINYEE LED
Dongguan PinYee Metal & Plastic Products Co.,Ltd

Tel: +86-769-86980678 email: info@cnpinyee.com Add: Build A, No. 381 of Guanzhang RD, Zhangmutou, Dongguan, Guangdong China

Metal LED Cabinet Light

ITEM	Size (Inch)	Voltage (V)	Power (W)	CCT (K)	Lumens (Lm)	CRI
GPCD008	8	120 AC	6	2700/4000	450	90+
GPCD016	16		10		750	
GPCD024	24		12		1000	
GPCD032	32		14		1300	
GPCD006	6" PWR Cord		N/A	N/A	N/A	N/A



Two Colors

Multiple CCT Metal LED Cabinet Light

ITEM	Size (Inch)	Voltage (V)	Power (W)	CCT (K)	Lumens (Lm)	CRI
GPCM008	8	120 AC	6	2700/ 3000/ 4000	450	90+
GPCM016	16		10		750	
GPCM024	24		12		1000	
GPCM032	32		14		1300	
GPCM006	6" PWR Cord		N/A	N/A	N/A	N/A



PINYEE LED

Dongguan PinYee Metal & Plastic Products Co.,Ltd

Tel: +86-769-86980678 email: info@cnpinyee.com Add: Build A, No. 381 of Guanzhang RD, Zhangmutou, Dongguan, Guangdong China

-----Metal LED Cabinet Light Type2



Information

- Input Voltage: 120V AC
- Color Temperatures: 2700K-6000K
- CRI: 90+
- Max. Run: 135W
- 100 degree Beam Angle
- Built-in touch dimmer switch
- Mounting: Steel clips or 3M Adhesive strips
- Extruded aluminum housing w/frosted polycarbonate lens
- 40,000 Hour Rated Life
- Linkable via joiner (incl) or jumpers

Dimming Options

- TRIAC (10-100%)
- CL (10-100%)
- ELV (10-100%)

Suitable Application

This versatile dimmable lighting system could be use for task areas, display shelving, back bars, built-in etc. because of its strong light output & high CRI. It's pretty easy for you to build your own system with suitable size cabinet lights connect each other by ETL listed system (With the ETL listed Slim line hardwire Box and 12" / 24" linking cable, each sold separately)





PINYEE LED
Dongguan PinYee Metal & Plastic Products Co.,Ltd

Tel: +86-769-86980678 email: info@cnpinyee.com Add: Build A, No. 381 of Guanzhang RD, Zhangmutou, Dongguan, Guangdong China



Single CCT Metal LED Cabinet Light

ITEM	Size (Inch)	Voltage (V)	Power (W)	CCT (K)	Lumens (Lm)	CRI
GPCS116	16	120 AC	6	2700-6000K	420	90+
GPCS124	24		9		645	
GPCS132	32		12		850	

Dual CCT Metal LED Cabinet Light

ITEM	Size (Inch)	Voltage (V)	Power (W)	CCT (K)	Lumens (Lm)	CRI
GPCD116	16	120 AC	6	2700/4000K	420	90+
GPCD124	24		9		645	
GPCD132	32		12		850	



-----LED Cabinet Light Type3



Information

- Max 8 of fixtures can be linked together
- Slim profile with convenient high/low switch
- 30,000 Hour Rated Life, compared with the typical 5,000 hours life of xenon bulbs
- 81% less energy usage than incandescent bulbs
- suitable for indoor dry locations only

Dimming Options

- TRIAC (10-100%)
- CL (10-100%)
- ELV (10-100%)



Suitable Application

This LED Plug-in 18" & 24" cabinet light provides great luminary for residential space. The self-contained switch allows you to adjust lighting high or low as you need. And it can be easily connected (max. 8 fixtures) by fixtures for larger applications. Indoor Usage Only

LED Cabinet Light

ITEM	Size (Inch)	Voltage (V)	Power (W)	CCT (K)	Lumens (Lm)	CRI
GPCL218	18	120 AC	9	2700-5000k	600	80+
GPCL224	24		15		900	



PINYEE LED
Dongguan PinYee Metal & Plastic Products Co.,Ltd

Tel: +86-769-86980678 email: info@cnpinyee.com Add: Build A, No. 381 of Guanzhang RD, Zhangmutou, Dongguan, Guangdong China

